






PABX

Telephone system

Excelltel Technology CO.,Ltd

 No.6 Sigang Industrial Park, Lishui,
Nanhai District, Foshan, Guangdong, China

 +86 757 86228930
86223731 ext .807

 www.excelltel.com
<http://excelltel.alibaba.en.com/>

 export@excelltel.com



Excelltel


Company Profile

Excelltel Technology Co. Ltd, established in 1999, located in Foshan, Guangdong, China, we're a professional PABX designer and manufacturer. For nearly 18 years, we specialize in the design and development of a full range of telecom solution and products. With our strong R & D department, we bring customer cost effective and innovative products, include group telephone system, analog PABX, PBX, Key phone, Door Phone, Analog phone, Access Control. We're one of the leading analog PBX manufacturers in China.

To meet the changing and diversifying market demand and technology progress, we provide deeply customized products and solutions to meet this change.

We warmly welcome customers home and abroad to contact us and establish business relations.

Our business philosophy is:



Qualification Honor



SOHO PABX Economic

Model : MD series: 108/206/208/308
MS series: 108/206/208/308
MK series: 308



- ✓ 7 concurrent call
- ✓ DISA
- ✓ Operator setting
- ✓ Auto attendant
- ✓ Caller ID
- ✓ Redial
- ✓ Call transfer
- ✓ Intercom call
- ✓ Call forward
- ✓ Call pickup
- ✓ Ext number change freely
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode
- ✓ Internal hotline

Model	Basic model				Upgrade model					
	MD		MS / MS+		MK		MS 108-GSM			
	MD108	MD206	MD208	MD308	MS108	MS206	MS208	MS308	MK308	MS108-GSM
Plastic Case										
Co Port	1	2	2	3	1	2	2	3	3	1 land line, 1 GSM
Ext.Port	8	6	8	8	8	6	8	8	8	8
OGM/DISA	10s for one paragraph				20s for three paragraph(60s for MS+)				60s for three paragraph	20s for three paragraph
GSM SIM card		×				×			×	✓
Intercom Caller ID		×				✓			✓	✓
Operator Caller ID		✓				✓			✓	✓
Operator /auto attendant mode		✓				✓			✓	✓
Extension flexible numbering		✓				✓			✓	✓
Call forward		✓				✓			✓	✓
Call pick up		✓				✓			✓	✓
Transfer to mobile		×				✓			✓	✓
DND (do not disturb)		✓				✓			✓	✓
Lightning protection on Ext.port		×				×			✓	×
Lightning protection on CO.port		✓				✓			✓	✓
Keypointe interface		×				×			✓	×
PC programming software		×				×			✓	×

Basic PABX

Economic

Model : CS series : 208/308/416



- ✓ 8 concurrent call
- ✓ 60s DISA
- ✓ Operator setting
- ✓ Auto attendant
- ✓ CLI
- ✓ Redial
- ✓ Call transfer
- ✓ Intercom call
- ✓ Call forward
- ✓ Call pickup
- ✓ Ext number change freely
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode
- ✓ Internal hotline
- ✓ Backup battery interface(optional)

Model : CS+632



- ✓ 8 concurrent call
- ✓ 60s DISA
- ✓ Operator setting
- ✓ Auto attendant
- ✓ CLI
- ✓ Redial
- ✓ Call transfer
- ✓ Intercom call
- ✓ Call forward
- ✓ Call pickup
- ✓ Ext number change freely
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode
- ✓ Internal hotline
- ✓ Door lock opener
- ✓ Backup battery interface(optional)



Key Phone Hybrid PABX

Model: CP832

Basic capacity is 4 CO lines , 16 extensions
Maximum capacity is 8 CO lines , 32 extensions



- ✓ Modular design
- ✓ 8 communication channel
- ✓ Basic capacity is 4/16 expandable up to 8/32
- ✓ Support 4 key phone
- ✓ Support SMDR and PC billing software
- ✓ Support broadcast interface (paging function)
- ✓ CLI (caller ID intercom & transfer)
- ✓ Redial
- ✓ Call transfer
- ✓ Internal hotline
- ✓ Door lock opener

- ✓ Intercom call
- ✓ Call forward
- ✓ Call pickup
- ✓ Ext number change freely
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode

Key Phone Hybrid PABX

Classic best selling model

Model : CP1696 series

Basic capacity is 4 CO lines , 40 extensions
 Maximum capacity is 8 CO lines , 96 extensions or
 16 CO lines , 80 extensions



- ✓ Modular design
- ✓ Support hotel function
- ✓ 16 communication channels
- ✓ Support 4 key phone
- ✓ Support SMDR and PC billing software
- ✓ Support broadcast interface (paging function)
- ✓ CLI
- ✓ Redial
- ✓ Call transfer
- ✓ Intercom call
- ✓ Call forward
- ✓ Ext number change freely
- ✓ Call pickup
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode
- ✓ Internal hotline
- ✓ Door lock opener
- ✓ External music on hold
- ✓ Morning call
- ✓ Backup battery interface




PABX Group Telephone System

Best PABX solution for hotel & apartment

Model : TP848 series

From 4 CO lines , 16 exts to 8 CO lines , 48 exts



4 lines trunk card



8 lines extension card

- ✓ 8 concurrent call
- ✓ Operator setting
- ✓ Auto attendant
- ✓ Caller ID
- ✓ Redial
- ✓ Call transfer
- ✓ Intercom call
- ✓ Call forward
- ✓ Call pickup
- ✓ Ext number change freely
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode
- ✓ Internal hotline
- ✓ Paging interface
- ✓ Day/night mode
- ✓ Busy tone detect
- ✓ PC management software
- ✓ Hotel management

This system inbuilt auto-attendant and include prerecorded voice and self-recording voice

Section	Prerecorded voice message content
1	Hello , welcome to call our company , please dial Ext. No. or dial 0 for inquiry .
2	Sorry , now it is lunch time , please call again during our work time , thank you
3	Sorry , now it is off duty time , please call again during our work time , thank you
4	Sorry , the extension you dialed is busy , please dial other extension number or call later , thank you
5	Sorry , the extension you dialed is not answered , please dial other extension number or call later, thank you
6	Sorry , the extension you dial is not existed , please dial other extension number , thank you
7	Your call is under transfer , hold on please
8	Hello , this is alarm clock reminder

PABX Group Telephone System

Best PABX solution for hotel & apartment

Model : TP96 series

Maximum capacity is 0 CO lines ,96 extensions or 16 CO lines , 64 extensions



- ✓ Modular design
- ✓ 16 communication channels
- ✓ Metal case, rack mountable, easy for wiring
- ✓ Support SMDR and PC billing software,
- ✓ Support hotel function
- ✓ Support broadcast interface (paging function)
- ✓ CLI
- ✓ Redial
- ✓ Call transfer
- ✓ Intercom call
- ✓ Call forward
- ✓ Call pickup
- ✓ Ext number change freely
- ✓ DND
- ✓ Three party conference
- ✓ LCR
- ✓ Memory dialing
- ✓ Dynamic locking
- ✓ Round robin ring mode
- ✓ Internal hotline, door lock opener
- ✓ External music on hold
- ✓ Morning call
- ✓ Backup battery interface
- ✓ Key phone Option

Model : TP152 series

Maximum capacity is 0 CO lines ,152 extensions or 16 CO lines , 120 extensions



PABX Group Telephone System

Best PABX solution for hotel & apartment

Model : TP240 series

Basic unit is zero capacity
Maximum capacity is 0CO lines ,240 extensions or 8 CO lines , 224 extensions

16 Communication channels





- ✓ Strong lightning protection design
- ✓ Non-blocking communication
- ✓ Each card with self-protection circuit
- ✓ DISA: 60s in four channels
- ✓ OGM can be recorded by phone, or download from PC
- ✓ Caller ID(external, intercom, transfer CLI)
- ✓ Operator/Auto-attendant work mode
- ✓ Memory dialing(Abbreviated dialing)
- ✓ Incoming call can be forward to mobile phone automatically
- ✓ Call transfer
- ✓ Call forward
- ✓ Call pickup
- ✓ Call restriction(class assignment)
- ✓ Ext number flexible coding
- ✓ Three party conference
- ✓ Least cost routing(LCR)
- ✓ CO Line group/Ext group
- ✓ Morning call
- ✓ Backup battery option
- ✓ Door phone & Door opener
- ✓ External music interface
- ✓ Paging function(external broadcast interface)

Model : TP256 series

Basic unit is zero capacity
Maximum capacity is 24 CO lines , 256 extensions or 32 CO lines , 240 extensions

32 Communication channels



Key Phone

PH201-M

Compatible with MK308

PH201-D

Compatible with CP832A/B, CP1696, TP240, TP256



It is with 12 DSS buttons, 13 functional keys.

Key phone, also called digital phone, it is a priority phone of Excelltel PABX. It is with 12 DSS buttons, 13 functional keys. Customer can make fast setting or one-key operation through key phone.

PH202

Compatible with CP832B, TP240, TP256

It is with 16 DSS buttons, 18 functional keys.



Analog Phone



CDX-PH206

- Call Record
- 11 speed Dial Button
- Call Pick up
- Redial
- DTMF/FSK receiver
- Call Transfer
- Busy Forward
- Call back etc

CDX-PH208

- Call Record
- Hold
- Flash
- On-hold music
- DTMF/FSK receiver
- Volume adjusted
- Real time display
- Call back

CDX-PA105

- FSK/ DTMF Caller-Id
- 50 Incoming Memory
- Pre-dialing & Clearing Function
- LCD Display with Date and Time
- Flash Key
- 15 Outgoing Memory
- Redial
- Hold Function

CDX-PA146

- Mute
- Flash
- Pause
- Redial

CDX-308S

- Headset



CDX-303

- Headset Phone



DSS console: Direct Station Selection keys, customer can set some DSS corresponding to some CO line, and DSS corresponding to some extension. On hook status, press DSS key, to call corresponding extension or access corresponding CO line. Through DSS light status, customer can observe which line or extension is busy or free.

Hotel Guest Room Telephone

CDX-818A



ABS material
Support DIY panel
Enterprise Customization
Fadeless & wear-resisting key

Customize shortcut keys:
Service Desk
House Keeping
Concierge
Reception
Business Center

CDX-901A



CDX-908A



CDX-9602



- Hotel Bathroom Phone
- No battery
- Environment
- Flash
- Speaker
- Volume adjustment
- music on hold



Ultraviolet(UV) Disinfection Lamp

Model : UVD-2040

Color: black & Gold



- ✓ Brand : Excelltel
- ✓ Product Size : 190*450mm
- ✓ Power Rating : 36W
- ✓ Packing Size: 210*210*530mm
- ✓ Rating Frequency : 50Hz
- ✓ Remote control mode: 15m wireless wall remote control
- ✓ Power cord : 1.5m
- ✓ Usage area : 40m²

Operation Method:

- ✓ 1 Power on and press the power switch to enter standby status . and red light will working
- ✓ 2 Select the corresponding timer button , and blue light flashing and enter disinfection status.
- ✓ 3 After 1 minute, the blue light will working always.10 seconds before disinfection, the
- ✓ 4 device will send beep tone . Alert people or pet leave now
- ✓ 5 If you need to stop halfway , you can press the "stop" button on the remote controller . When disinfection is over , the device will shutdown automatically .

Sterilization & Antiepidemic

Killing

- Mites
- Candida albicans
- Moldy
- Escherichia coli
- Staphylococcus aureus
- peculiar smell
- Mites